Message

From: Campbell, Ann [Campbell.Ann@epa.gov]

Sent: 10/9/2018 10:03:08 PM

To: Best-Wong, Benita [Best-Wong.Benita@epa.gov]; Wildeman, Anna [wildeman.anna@epa.gov]

CC: Ross, David P [ross.davidp@epa.gov]; Forsgren, Lee [Forsgren.Lee@epa.gov]

Subject: RE: OW Actions List
Attachments: OW ACTIONS_100918.docx

With lee's edits.....

Ann Campbell Chief of Staff (acting) Office of Water

From: Campbell, Ann

Sent: Tuesday, October 09, 2018 5:51 PM

To: Best-Wong, Benita <Best-Wong.Benita@epa.gov>; Wildeman, Anna <wildeman.anna@epa.gov>

Cc: Ross, David P <ross.davidp@epa.gov>; Forsgren, Lee <Forsgren.Lee@epa.gov>

Subject: RE: OW Actions List

Attached is a revised list reflecting the comments I received.

Ann Campbell Chief of Staff (acting) Office of Water

From: Best-Wong, Benita

Sent: Tuesday, October 09, 2018 5:23 PM

To: Wildeman, Anna <wildeman.anna@epa.gov>; Campbell, Ann <Campbell.Ann@epa.gov>

Cc: Ross, David P <ross.davidp@epa.gov>; Forsgren, Lee <Forsgren.Lee@epa.gov>

Subject: RE: OW Actions List

Deliberative Process / Ex. 5

Regards, Benita

Benita Best-Wong
Acting Principal Deputy Assistant Administrator
Office of Water
US EPA
1200 Pennsylvania Avenue, NW
Washington, DC 20460
202-566-1159

From: Wildeman, Anna

Sent: Tuesday, October 09, 2018 5:13 PM **To:** Campbell, Ann@epa.gov>

Cc: Ross, David P < ross.davidp@epa.gov>; Forsgren, Lee < Forsgren.Lee@epa.gov>; Best-Wong, Benita < Best-

Wong.Benita@epa.gov>
Subject: Re: OW Actions List

Deliberative Process / Ex. 5

Anna Wildeman

Deputy Assistant Administrator
Office of Water
Environmental Protection Agency
1200 Pennsylvania Avenue, NW
Washington, DC 20460
202-564-5700
Wildeman.Anna@epa.gov

On Oct 9, 2018, at 4:46 PM, Campbell, Ann < Campbell. Ann@epa.gov> wrote:

As requested this morning, attached is a list of the various rulemakings, state actions, and other major initiatives happening in OW. Please let me know if you have any edits or additions.

Ann Campbell Chief of Staff (acting) Office of Water

<OW ACTIONS_100918.docx>